Canadian Geotechnical Journal

Contents
Volume 32, 1995

Revue canadienne de géotechnique

Sommaire
Volume 32, 1995

February / Février

Paul Chiasson, Jean Lafleur, Michel Soulié, and K. Tim Law Characterizing spatial variability of a clay by geostatistics 1

Rui Chen and B. Stimpson Triaxial stress relaxation tests on Saskatchewan potash 11

Jean Benoît, Michael J. Atwood, R. Craig Findlay, and Brian D. Hilliard Evaluation of jetting insertion for the self-boring pressuremeter 22

Abdel M.O. Mohamed, Raymond N. Yong, and Miroslawa T. Mazus Contaminant migration in engineered clay barriers due to heat and moisture redistribution under freezing conditions 40

H. Rahardjo, T.T. Lim, M.F. Chang, and D.G. Fredlund Shear-strength characteristics of a residual soil 60

B.E. Lingnau, J. Graham, and N. Tanaka Isothermal modeling of sand–bentonite mixtures at elevated temperatures 78

Graham G. Shorten Quasi-overconsolidation and creep phenomena in shallow marine and estuarine organo-calcareous silts, Fiji 89

Vinod K. Garga and Luciano V. Medeiros Field performance of the port of Sepetiba test fills 106

Krzysztof Szilder, Edward P. Lozowski, and Tom W. Forest One-dimensional freezing of seawater in a constrained volume 122

Goeffrey G. Meyerhof Development of geotechnical limit state design 128

Réjean Couture, Jean-Marie Konrad et Jacques Locat Analyse de la liquéfaction et du comportement non drainé des sables du delta de Kenamu (Projet ADFEX) 137

NOTES

M. Jrad, F. Masrouri et J. Monnet Utilisation d'équations constitutives du comportement du sol pour la prédiction d'essais triaxiaux sur des granulats calcaires 156

B.M. Das, S.C. Yen, and R.N. Dass Brazilian tensile strength test of lightly cemented sand 166

Robert P. Chapuis Controlling the quality of groundwater parameters: some examples 172

DISCUSSIONS

D.G. Fredlund and P.C. Lim Matrix suction and diffusive transport in centrifuge models: Discussion 178

R.J. Mitchell Matrix suction and diffusive transport in centrifuge models: Reply 180

J.N. Shirlaw Observed and calculated pore pressures and deformations induced by an earth balance shield: Discussion 181

X. Yi, R. Kerry Rowe, and K.M. Lee Observed and calculated pore pressures and deformations induced by an earth balance shield: Reply 190

Ashraf M. Ghaly The effect of dynamic loading on lateral stress in sand: Discussion 191

Fanyu Zhu and Jack I. Clark The effect of dynamic loading on lateral stress in sand: Reply 192

Paul W. Mayne and Glenn J. Rix Laboratory and field determinations of small-strain shear modulus for a structured Champlain clay: Discussion 193

G. Lefebvre, D. LeBoeuf, M.E. Rahhal, A. Lacroix, J. Warde, and K.H. Stokoe II Laboratory and field determinations of small-strain shear modulus for a structured Champlain clay: Reply 194

Instructions to Authors iii

Recommandations aux auteurs vi

Research Journals publication policy x

Revues scientifiques, politique de publication xiii

April / Avril

Fanyu Zhu, Jack I. Clark, and Michael J. Paulin Factors affecting at-rest lateral stress in artificially cemented sands 195

G.G. Meyerhof Behaviour of pile foundations under special loading conditions: 1994 R.M. Hardy keynote address 204

David Hansen, Vinod K. Garga, and D. Ronald Townsend Selection and application of a one-dimensional non-Darcy flow equation for two-dimensional flow through rockfill embankments 223

Jin-Zhang Zou, David J. Williams, and Wen-Lin Xiong Search for critical slip surfaces based on finite element method 233

D. Perret, J. Locat, and S. Leroueil Strength development with burial in fine-grained sediments from the Saguenay Fjord, Quebec 247

Philippe Coussot and Jean-Michel Piau The effects of an addition of force-free particles on the rheological properties of fine suspensions 263

C.B. Crawford, R.J. Fannin, and C.B. Kern Embankment failures at Vernon, British Columbia 271

T. Chu, G. Hill, D.M. McClung, R. Ngun, and R. Sherkat Experiments on granular flows to predict avalanche runup 285

Bettina L. Longino and Bernard H. Kueper The use of upward gradients to arrest downward dense, nonaqueous phase liquid (DNAPL) migration in the presence of solubilizing surfactants 296

B.B. Rajani, P.K. Robertson, and N.R. Morgenstern Simplified design methods for pipelines subject to transverse and longitudinal soil movements 309

Ali Bouafia et Ahmed Bouguerra Modélisation en centrifugeuse du comportement d'un pieu flexible chargé horizontalement à proximité d'un talus 324

E.G. Hivon and D.C. Sego Strength of frozen saline soils 336

NOTES

Gordon T. McKenna Grouted-in installation of piezometers in boreholes 355

Robert G. Horvath Influence of loading rate on the capacity of a model pile in clay 364

John Roorda The mechanics of a pop-up: a stress relief phenomenon 368

Thomas C. Sheahan Interpretation of undrained creep tests in terms of effective stresses 373

DISCUSSIONS

Mark L. Talesnick Stress measurements in high-stress zones using the modified doorstopper technique: Discussion 380

Robert Corthésy, Denis E. Gill, Maria Helena Leite, and Paul M. Thompson Stress measurements in high-stress zones using the modified doorstopper technique: Reply 382

John S. Horvath Frost protection of buried PVC water mains in western Canada: Discussion 384

K. Sepehr and L.E. Goodrich Frost protection of buried PVC water mains in western Canada: Reply 385

June / Juin

V.V.R.N. Sastry and G.G. Meyerhof Behaviour of flexible piles in layered clays under eccentric and inclined loads 387

C.F. Leung and S.T. Quek Probabilistic stability analysis of excavations in jointed rock 397

Knud Mortensen Kinematically and statically plausible calculations for sheet walls 408

Christopher Nigel Pye The influence of constitutive models on self-boring pressuremeter interpretation in clay 420

Glen R. Andersen, Christopher W. Swan, Charles C. Ladd, and John T. Germaine Small-strain behavior of frozen sand in triaxial compression 428

Ross W. Boulanger, Jonathan D. Bray, Scott M. Merry, and Lelio H. Mejia Three-dimensional dynamic response analyses of Cogswell Dam 452

Charles F. Ripley Preloading thick compressible subsoils: a case history 465

Ernest E. Morrison, Jr., and Robert M. Ebeling Limit equilibrium computation of dynamic passive earth pressure 481

Sharon L. Smith and Peter J. Williams Ice lens formation at a silt–sand interface 488

Branko Ladanyi and M.B. Benyamina Triaxial relaxation testing of a frozen sand 496

R. Kerry Rowe, C.T. Gnanendran, A.O. Landva, and A.J. Valsangkar Construction and performance of a full-scale geotextile reinforced test embankment, Sackville, New Brunswick 512

NOTES

J. Kenneth Torrance On the paucity of amorphous minerals in the sensitive postglacial marine clays **535**

Alexandre R. Cabral, Guy Lefebvre, and Pascal Collette Preliminary evaluation of the influence of surfactant injection on the mechanical behaviour of a compacted till **539**

Baolai Wang and Hugh M. French In situ creep of frozen soil, Fenghuo Shan, Tibet Plateau, China **545**

Sally A. Shoop Vehicle bearing capacity of frozen ground over a soft substrate **552**

ERRATUM

Thomas C. Sheahan Erratum: Interpretation of undrained creep tests in terms of effective stresses **557**

August /Août

Woojin Lee, N.C. Bohra, A.G. Altschaeffl, and T.D. White Resilient modulus of cohesive soils and the effect of freeze–thaw **559**

Albert T. Yeung and Subbaraju Datla Fundamental formulation of electrokinetic extraction of contaminants from soil **569**

W.O. McCarron, J.C. Lawrence, R.J. Werner, J.T. Germaine, and D.F. Cauble Cyclic direct simple shear testing of a Beaufort Sea clay **584**

Mark R. Woyshner and Ernest K. Yanful Modelling and field measurements of water percolation through an experimental soil cover on mine tailings **601**

Oldrich Hungr A model for the runout analysis of rapid flow slides, debris flows, and avalanches **610**

Ernest K. Yanful, Keith S. Shikatani, and David H. Quirt Hydraulic conductivity of natural soils permeated with acid mine drainage **624**

J.C. Santamarina and M. Fam Changes in dielectric permittivity and shear wave velocity during concentration diffusion **647**

R. Kerry Rowe and John R. Booker A finite layer technique for modelling complex landfill history **660**

K.K. Hamouche, S. Leroueil, M. Roy, and A.J. Lutenegger In situ evaluation of K_0 in eastern Canada clays **677**

J.-M. Konrad, G. Bergeron, M. Roy, P. La Rochelle, and S. Leroueil Field observations of frost action in intact and weathered Champlain Sea clay **689**

A.J. Kelly, E. Karl Sauer, E.A. Christiansen, S.L. Barbour, and R.A. Widger Deformation of the Deer Creek bridge by an active landslide in clay shale **701**

M. Roy, G. Bergeron, P. La Rochelle, S. Leroueil et J.M. Konrad Effets de cycles de gel–dégel sur les propriétés d'une argile sensible **725**

NOTE

Yenumula V.S.N. Prasad and S. Narasimha Rao A new two point method of obtaining C_v from a consolidation test **741**

DISCUSSION

Eulalio Juárez-Badillo Time-dependent displacement behaviour of model adfreeze and grouted piles in saline frozen soils: Discussion **747**

K.W. Biggar and D.C. Sego Time-dependent displacement behaviour of model adfreeze and grouted piles in saline frozen soils: Reply **748**

October / Octobre

Harianto Rahardjo and Delwyn G. Fredlund Experimental verification of the theory of consolidation for unsaturated soils **749**

R.C. Joshi, Gopal Achari, Shenbaga R. Kaniraj, and H. Wijeweera Effect of aging on the penetration resistance of sands **767**

J.-M. Konrad and B.D. Watts Undrained shear strength for liquefaction flow failure analysis **783**

C.C. Hird, I.C. Pyrah, D. Russell, and F. Cinicioglu Modelling the effect of vertical drains in two-dimensional finite element analyses of embankments on soft ground **795**

Harry G. Poulos Design of reinforcing piles to increase slope stability **808**

Mohammed M. Morsy, D.H. Chan, and N.R. Morgenstern An effective stress model for creep of clay **819**

Branko Ladanyi, Tom Lunne, Pierre Vergobbi, and Bernard Lhuillier Predicting creep settlements of foundations in permafrost from the results of cone penetration tests **835**

J.C. Cunning, P.K. Robertson, and D.C. Sego Shear wave velocity to evaluate in situ state of cohesionless soils **848**

Catherine E. Fear and Peter K. Robertson Estimating the undrained strength of sand: a theoretical framework **859**

NOTES

Timothy G. Fisher, Harry M. Jol, and Derald G. Smith Ground-penetrating radar used to assess aggregate in catastrophic flood deposits, northeast Alberta, Canada **871**

Alan J. Lutenegger and Don J. DeGroot Techniques for sealing cone penetrometer holes **880**

Guy St-Arnaud The high pore pressures within embankment dams: an unsaturated soil approach **892**

Jaroslav Feda Behaviour of a cemented clay **899**

E.J. Murray and J.D. Geddes A conceptual model for clay soils subjected to negative pore-water pressures **905**

G.G. Meyerhof Standard penetration tests and pile behaviour under lateral loads in cohesionless soils **913**

Christian Garneau et Marc G. Tanguay Analyse des performances du profilomètre **917**

DISCUSSION

Michael Jefferies Modeling the performance of the Molikpaq: Discussion **922**

Ameir Altaee and Bengt H. Fellenius Modeling the performance of the Molikpaq: Reply **924**

December /Décembre

Vinod K. Garga, David Hansen, and D. Ronald Townsend Mechanisms of massive failure for flowthrough rockfill embankments **927**

Sherif W. Agaiby and Colin J.F.P. Jones Design of reinforced fill systems over voids **939**

H.J. Burd Analysis of membrane action in reinforced unpaved roads **946**

L.D. McKay and J. Fredericia Distribution, origin, hydraulic influence of fractures in a clay-rich glacial deposit **957**

G.J.W. King and M. Laman Conventional and centrifuge model studies of the moment carrying capacity of short pier foundations in clay **976**

D.M. Cruden, S. Thomson, H.J. Kim, and A.E. Peterson The Edgerton landslides **989**

Mohammed M. Morsy, N.R. Morgenstern, and D.H. Chan Simulation of creep deformation in the foundation of Tar Island Dyke **1002**

Gang Wang, Maurice B. Dusseault, and Jerzy T. Pindera Experiments on surface deformation arising from a subsurface fracture **1024**

NOTES

J.C. Robinet et M. Rhattas Détermination de la perméabilité non saturée des matériaux argileux à faible porosité **1035**

Dieter F.E. Stolle and Gabriel Sedran Influence of inertia on falling weight deflectometer (FWD) test response **1044**

Francisco de Rezende Lopes and Mariza Gomes Ribeiro Experimental evaluation of a test base for ship engines **1048**

A.T.C. Goh, K.S. Wong, and B.B. Broms Estimation of lateral wall movements in braced excavations using neural networks **1059**

J. Chu An experimental examination of the critical state and other similar concepts for granular soils **1065**

Mehmet Ufuk Ergun and Devrim Sönmez Negative skin friction from surface settlement measurements in model group tests **1075**

J.-M. Konrad, S. St-Laurent, F. Gilbert, and S. Leroueil Sand sampling below the water table using the 200 mm diameter Laval sampler **1079**

F. Silvis and M.B. de Groot Flow slides in the Netherlands: experience and engineering practice **1086**

DISCUSSIONS

Jyant Kumar Ultimate pullout resistance of single vertical anchors: Discussion **1093**

Ashraf Ghaly and Adel Hanna Ultimate pullout resistance of single vertical anchors: Reply **1093**

C.F. Ng Simplified design methods for pipelines subject to transverse and longitudinal soil movements: Discussion **1094**

B.B. Rajani, P.K. Robertson, and N.R. Morgenstern Simplified design methods for pipelines subject to transverse and longitudinal soil movements: Reply **1095**

Note of appreciation / Note de reconnaissance **iii**

Author index for Volume 32 / Index des auteurs pour le volume 32 **AI-1**

Contents for Volume 32 / Sommaire pour le volume 32 **C-1**